

NOTES:

1. SIGN SUPPORT SYSTEM SHALL BE TELESCOPING SQUARE TUBING BY UNISTRUT (TELESPAR) OR APPROVED EQUAL.
2. POSTS SHALL BE 2-INCH PERFORATED SQUARE TUBING ROLLED FROM 12 GAUGE (0.105") STRIP STEEL, ASTM A446 GRADE A.
3. RECEIVERS SHALL BE 2-1/4" OR THE CONSECUTIVE SIZE SOLID SQUARE TUBING, ROLLED FROM 12 GAUGE (0.105") STRIP STEEL, ASTM A446 GRADE A.
4. POSTS SHALL BE STRAIGHT WITH A SMOOTH UNIFORM FINISH AND SHALL TELESCOPE FREELY WITH MINIMAL PLAY. ALL HOLES AND CUT OFF ENDS SHALL BE FREE OF BURRS.
5. ALL MEMBERS SHALL BE ZINC GALVANIZED FINISH PER ASTM A525 COATING DESIGNATION G90.
6. UNLESS NOTED OTHERWISE, CONTRACTOR OR DEVELOPER SHALL PROVIDE AND INSTALL SIGN SUPPORT SYSTEM, RECEIVER AND POST. CDID#1 WILL PROVIDE AND INSTALL THE SIGN.
7. IF REQUIRED, SIGNS SHALL BE ENGINEER GRADE INSTALLED ON A MINIMUM 0.080 GAUGE SIGN BLANK. SIGN DIMENSIONS, TEXT SIZE AND CONTENT SHALL BE AS DETERMINED BY CDID#1.
8. PHYSICAL LOCATION OF SIGN POSTS SHALL BE VERIFIED WITH CDID#1 FOR OPTIMAL VISIBILITY.
9. GARBAGE CAN SHALL BE FOR OUTDOOR USE, 11.5 GALLON, POWDER COATED GALVANIZED STEEL, GREEN IN COLOR, 12" DIA. X 24" TALL, POST MOUNTED WITH MANUAL LIFT LID AND BAG CLAMPS, UPGORILO OR APPROVED EQUAL.
10. BAG DISPENSER SHALL BE FOR OUTDOOR USE, RUSTPROOF ALUMINUM, GREEN IN COLOR, LOCKING WITH TWO KEYS, POLE MOUNTED, 2-PRONG WITH 5" SPACING, MUTT MITT OR APPROVED EQUAL.

CDID #1
CONSOLIDATED DIKING IMPROVEMENT DISTRICT NO. 1

REV	ISSUE	DWG	DES	CHK	APP
9/2020	new standard	ANB	ANB	ANB	ANB

PET WASTE STATION
STANDARD INSTALLATION DETAIL

DATE: JUNE 2024
DESIGN: ANB
DRAWN: ANB

DRAWING NO.
C-15
1 of 1